


Welcome this is Keox IVL Micro



Making cleaner world

keox.fi

Keox IVL Micro



Keox IVL Micro is powerfull tool in small size. It is suitable solution for places, where you cannot go with full size vacuum truck. It is a right choice for reaching small spaces or narrow streets. Keox IVL Micro includes both the suction and water jetting equipments.



- for example: 1m³ water tank and 2m³ sludge tank
- Enhanced ergonomics
- Minimal power losses
- Low rpm
- Low emissions
- Heat and noise insulation
- Water heater for better washing results
- Submersible pump
- Full radio control
- Dry weight of the tank and equipments 2000kg,

TECHNICAL DEFINITIONS

CHASSIS

Iveco Daily
PTO gearbox

SLUDGE TANK CAPACITY

2m³

WATER TANK CAPACITY

1m³

MATERIAL

RST

EQUIPMENTS

Over-flow pipe, emptying valve 2"

JETTING EQUIPMENTS

WATERPUMP

Pratissoli KT 32, 91 l/min, 150 bar, 26kW
Pneumatic pressure control valve
Suction filter
Emergency stop for pump at low level of water

HOSE REEL

1 pcs 0.5" hydraulic hose reel
Automatic hose guide

EQUIPMENTS

Transfer hose reel
Water heater 110kW, 30L
Washing pistol
Engine RPM- / usage gauge
Controlbox
Automatic water refill
Led lights for working 4pcs
Led lights inside pump room
Radio controls, 12 channels:
-water on – off
-suction on – off
-hose reel (water) in - out
-chassis rpm
-hose reel (vacuum) in - out
-hose reel (vacuum) open - close

OPTIONS

Suction hose reel, fixed
Hose 2,5" 30m
Heat resistance 0.5" washing hose 80m.
Diesel heater inside

VACUUM EQUIPMENTS

Juop DL 75 HDR
Water separator, suction airfilter
Silencers
Overpressure valve
Suction valve 3" + connector
Emptying valve 4" + connector
Hatch with manual opening
Overflow stopper
Transfer pump by Mäki-Reini




TRANSMISSION

Hydraulic PTO
Split shaft unit
Hydraulic oil tank + cooler



SURFACE TREATMENT

Sandblasting and epoxy primer
2-component coating to
customer color

DIMENSIONS



STRUCTURE







Heikki Elomaa
CEO
+358 (0)50 4431 656
heikki.elomaa@keox.fi

Petri Oksanen
Service manager
+358 (0)50 4134 461
petri.oksanen@keox.fi

Äijäläntie 189
41370 Kuusa, Finland
Tel. 020 741 2370
www.keox.fi

**We appreciate you for taking the time
with our products**

keox.fi